



## STOCK MOVEMENT INTEGRATION FROM POSTI WMS TO PRINCIPAL

---

**Posti**

---

*Detailed instructions for OutStockMovementInventory XML usage*

**LAST UPDATED:** 21-Dec-17

**VERSION:** 1.1

**FILE NAME:** OutStockMovementInventory.doc

**Document Revision History**

| REVISION<br>N | Date      | Description (Changes Made)  | Author     |
|---------------|-----------|---|------------|
|               | 2.10.2017 | Fixed some typing mistakes: Segment -> Segment, SeqmmentType -> SegmentType, Tags -> Tag. | Maria Salo |
|               |           |   |            |
|               |           |   |            |
|               |           |   |            |

**Document Approval History**

| Name | Signature | Date | Version Approved / Comments |
|------|-----------|------|-----------------------------|
|      |           |      |                             |
|      |           |      |                             |
|      |           |      |                             |
|      |           |      |                             |

**Related or Reference Documents**

| Document Name                  | Description   | Owner | Location |
|--------------------------------|---|-------|----------|
| OutStockMovementInventory.xlsx | Description of OutStockMovementInventory XML fields |       |          |
| OutStockMovement               | Example of OutStockMovementInventory XML file       |       |          |
|                                |   |       |          |
|                                |   |       |          |
|                                |   |       |          |
|                                |   |       |          |
|                                |   |       |          |

---

## TABLE OF CONTENTS

|  |          |
|--|----------|
| <b>1 GENERAL .....</b>                       | <b>5</b> |
| 1.1 PURPOSE.....                             | 5        |
| <b>2 OVERVIEW .....</b>                      | <b>5</b> |
| 2.1 BUSINESS REQUIREMENTS REFERENCE .....    | 5        |
| 2.2 TECHNICAL REQUIREMENTS REFERENCE .....   | 5        |
| <b>3 ASSUMPTIONS AND DEPENDENCIES .....</b>  | <b>5</b> |
| 3.1 ASSUMPTIONS.....                         | 5        |
| 3.2 DEPENDENCES .....                        | 6        |
| <b>4 COMPONENT DESIGN .....</b>              | <b>6</b> |
| 4.1 CHANGEINVENTORY/METADATA .....           | 6        |
| 4.1.1 <i>ReceiverOrganizationId</i> .....    | 6        |
| 4.1.2 <i>Language</i> .....                  | 6        |
| 4.1.3 <i>ExternalUserId</i> .....            | 6        |
| 4.1.4 <i>DocumentType</i> .....              | 6        |
| 4.1.5 <i>CreationDateTime</i> .....          | 6        |
| 4.1.6 <i>MessageIdentifier</i> .....         | 6        |
| 4.2 CHANGEINVENTORY/FROMSUPPLY .....         | 6        |
| 4.2.1 <i>UnitOfMeasure</i> .....             | 6        |
| 4.2.2 <i>ShipNode</i> .....                  | 7        |
| 4.2.3 <i>ShipByDate</i> .....                | 7        |
| 4.2.4 <i>SegmentType</i> .....               | 7        |
| 4.2.5 <i>Segment</i> .....                   | 7        |
| 4.2.6 <i>ReasonText</i> .....                | 7        |
| 4.2.7 <i>ReasonCode</i> .....                | 7        |
| 4.2.8 <i>Quantity</i> .....                  | 7        |
| 4.2.9 <i>ProductClass</i> .....              | 7        |
| 4.2.10 <i>ItemID</i> .....                   | 8        |
| 4.2.11 <i>InventoryStatus</i> .....          | 8        |
| 4.2.12 <i>AdjustmentType</i> .....           | 9        |
| 4.3 CHANGEINVENTORY/FROMSUPPLY/TAG.....      | 9        |
| 4.3.1 <i>ManufacturingDate</i> .....         | 9        |
| 4.3.2 <i>LotNumber</i> .....                 | 9        |
| 4.3.3 <i>LotAttribute1</i> .....             | 9        |
| 4.3.4 <i>LotAttribute2</i> .....             | 9        |
| 4.3.5 <i>LotAttribute3</i> .....             | 9        |
| 4.4 CHANGEINVENTORY/FROMSUPPLY/TAG/EXTN..... | 10       |



|        |   |    |
|--------|---|----|
| 4.4.1  | <i>ExtnIncubationDate</i> .....         | 10 |
| 4.4.2  | <i>ExtnBestBeforeDate</i> .....         | 10 |
| 4.5    | CHANGEINVENTORY/TOSUPPLY .....          | 10 |
| 4.5.1  | <i>UnitOfMeasure</i> .....              | 10 |
| 4.5.2  | <i>ShipNode</i> .....                   | 10 |
| 4.5.3  | <i>ShipByDate</i> .....                 | 10 |
| 4.5.4  | <i>SegmentType</i> .....                | 10 |
| 4.5.5  | <i>Segment</i> .....                    | 10 |
| 4.5.6  | <i>ReasonText</i> .....                 | 11 |
| 4.5.7  | <i>ReasonCode</i> .....                 | 11 |
| 4.5.8  | <i>Quantity</i> .....                   | 11 |
| 4.5.9  | <i>ProductClass</i> .....               | 11 |
| 4.5.10 | <i>ItemID</i> .....                     | 12 |
| 4.5.11 | <i>InventoryStatus</i> .....            | 12 |
| 4.5.12 | <i>AdjustmentType</i> .....             | 12 |
| 4.6    | CHANGEINVENTORY/TOSUPPLY/TAG .....      | 12 |
| 4.6.1  | <i>ManufacturingDate</i> .....          | 12 |
| 4.6.2  | <i>LotNumber</i> .....                  | 12 |
| 4.6.3  | <i>LotAttribute1</i> .....              | 12 |
| 4.6.4  | <i>LotAttribute2</i> .....              | 13 |
| 4.6.5  | <i>LotAttribute3</i> .....              | 13 |
| 4.7    | CHANGEINVENTORY/TOSUPPLY/TAG/EXTN ..... | 13 |
| 4.7.1  | <i>ExtnIncubationDate</i> .....         | 13 |
| 4.7.2  | <i>ExtnBestBeforeDate</i> .....         | 13 |

## **1 General**

---

### **1.1 Purpose**

OutStockMovementInventory is the standard way to interact stock movement with Principal and consists stock movement information from Posti WMS.

Purpose of this document is to define technically how OutStockMovementInventory message is used and what kind of data is reported from Posti WMS.

Logistics' services between Posti and Principal are described in the contract done with Posti and Principal.

## **2 Overview**

---

### **2.1 Business Requirements Reference**

Posti will manage

- inventory for lot controlled items
- inventory for items that have best before date with shelf life and expiry date items that have default expirations days
- inventory for items have unique serial numbers
  - if serial numbers are tracked in the whole logistics' services (from receipt to delivery) it must be agreed and described in the contract

### **2.2 Technical Requirements Reference**

- Interface for application to application integration. (High volume customers)
- WMS online web application. (Low volume customers)

## **3 Assumptions and Dependencies**

---

### **3.1 Assumptions**

- Data is case sensitive
- Decimal separator is dot
- Date format is YYYY-MM-DDTHH:MM:SS+2:00

### **3.2 Dependences**

The following list consists values which are pre-defined by Posti. More information later in this document.

- Unit of Measures (more information in InItemMaster documentation)
- Product Class
- Inventory Status
- Segment Type
- Reason Code
- AdjustmentType

## **4 Component Design**

---

### **4.1 ChangeInventory/MetaData**

MetaData is used for message quality control and routing purposes.

#### **4.1.1 ReceiverOrganizationId**

Name of the organization to whom the stock movement is sent to (Principal identifier)

#### **4.1.2 Language**

Language code of the stock movement in two-letter ISO format e.g. FI

#### **4.1.3 ExternalUserId**

Identifier of the principal in external system (OVT code)

#### **4.1.4 DocumentType**

Name of the document. This should be OutStockMovementInventory

#### **4.1.5 CreationDateTime**

Date and time of interface creation in integration platform.

#### **4.1.6 MessageIdentifier**

In outgoing message from Posti, Posti generates the unique identifier

This MessageIdentifier can be used for troubleshooting purposes to uniquely identify any message that has been sent by Posti integration environment.

---

### **4.2 ChangeInventory/FromSupply**

#### **4.2.1 UnitOfMeasure**

The unit of measure.

Sales unit of measure and purchase unit of measure should be the same as inventory unit of measure. It is possible to do conversion in Sterling but it has to be discussed and be based on the contract with Principal and Posti

#### **4.2.2 ShipNode**

The unique identifier for the ship node. The identifier of Posti warehouse Voutilta = 12

#### **4.2.3 ShipByDate**

Latest shipment date. If ShipByDate is later than BestBeforeDate then this is expiration date

#### **4.2.4 SegmentType**

The segment type for this inventory movement.

Segment type and Segment are used for indicating that order line needs specific additional service and also used to indicate that this order line should be picked from certain inventory stack.

Segment type and Segment should be taken in use only on demand if Principal has specific needs and would need to be discussed with Posti business and described in the contract with Principal and Posti.

#### **4.2.5 Segment**

The segment for this inventory movement.

#### **4.2.6 ReasonText**

The description of the reason for this inventory audit.

#### **4.2.7 ReasonCode**

The code of the reason for this inventory audit.

The meaning of the meaningful reason codes are determined in the contract between Principle and Posti.

#### **4.2.8 Quantity**

Quantity of the movement (+/-).

#### **4.2.9 ProductClass**

The product class is used as an inventory class identifier.

Product classes are pre-defined by Posti. If Product classes based on Principal's own values are needed, they are agreed and described in the contract with Principal and Posti.

Available list of values:

| Product Class | Name FI                       | Name EN                 | Kuvaus  | Description   |
|---------------|-------------------------------|-------------------------|---|---|
| NORM          | Vapaa varasto                 | Unrestricted Stock      | Priima tuote, vapaa varasto                                   | Receiving to unrestricted stock, default                  |
| BRKN          | Rikkoutuneet                  | Broken Stock            | Käytetään varaston vastaanotossa, rikki varastolle saapuessa. | Receive as broken products                                |
| RTRN          | Palautus toimittajalle        | Return to Vendor        | Odottaa palautusta tavarantoimittajalle                       | Item received is waiting to be returned to vendor.        |
| SCRP          | Romutus                       | Scrap                   | Odottaa hävitystä   | Item received is waiting to be delivered to scrapping.    |
| BSTK          | Kakkoslaatu                   | B Stock                 | Kakkoslaatuisen tuotteen saldo                                | Item received is to be handled as B quality stock.        |
| FRWD          | Toimitus eteenpäin            | Forwarding              | Odottaa toimitusta  | Item received is to be forwarded to another address.      |
| DSHP          | Palautus toimittajalle (GLUE) | Return to Vendor (GLUE) | Odottaa palautusta tavarantoimittajalle (toimitusmyynti=Glue) | Item received is waiting to be returned to vendor (GLUE). |

#### 4.2.10 ItemID

The identifier for this inventory item.

#### 4.2.11 InventoryStatus

Inventory status after receiving.

The value of Inventory Status is linked to the value of Disposition Code.

Inventory status usage is not supported for now.

| Disposition Code | Inventory Status | Name FI                       | Name EN                    | Kuvaus  | Description   |
|------------------|------------------|-------------------------------|----------------------------|---|---|
| STOCKED          | UN               | Vapaa varasto                 | Unrestricted Stock         | Priima tuote, vapaa varasto                                   | Receiving to unrestricted stock, default  |
| BROKEN           | UN               | Rikkoutuneet                  | Broken Stock               | Käytetään varaston vastaanotossa, rikki varastolle saapuessa. | Receive as broken products  |
| MHAZ             | MH               | Puuttuvat VAK –tiedot         | Missing Hazmat Information | Tuotteesta puuttuu VAK-tiedot                                 | Item received has missing or inadequate hazmat data. User action required before put-away |
| WINS             | BQ               | Odottaa tarkastusta           | Waiting for QC             | Odottaa tarkastusta ennen hyllystä                            | Item is waiting to be inspected before put-away.  |
| RETURN           | UN               | Palautus toimittajalle        | Return to Vendor           | Odottaa palautusta tavarantoimittajalle                       | Item received is waiting to be returned to vendor.  |
| SCRAP            | UN               | Romutus                       | Scrap                      | Odottaa hävitystä   | Item received is waiting to be delivered to scrapping.                                    |
| BSTOCK           | UN               | Kakkoslaatu                   | B Stock                    | Kakkoslaatuisen tuotteen saldo                                | Item received is to be handled as B quality stock.  |
| FORWARD          | UN               | Toimitus eteenpäin            | Forwarding                 | Odottaa toimitusta  | Item received is to be forwarded to another address.                                      |
| DROPSHIP         | UN               | Palautus toimittajalle (GLUE) | Return to Vendor (GLUE)    | Odottaa palautusta tavarantoimittajalle (toimitusmyynti=Glue) | Item received is waiting to be returned to vendor (GLUE).                                 |

#### 4.2.12 AdjustmentType

Adjustment type = ADJUSTMENT

---

### 4.3 ChangeInventory/FromSupply/Tag

#### 4.3.1 ManufacturingDate

Manufacturing date

#### 4.3.2 LotNumber

Lot number.

#### 4.3.3 LotAttribute1

Any other attribute.

#### 4.3.4 LotAttribute2

Any other attribute.

#### 4.3.5 LotAttribute3

Any other attribute.

---

#### **4.4 ChangeInventory/FromSupply/Tag/Extn**

##### **4.4.1 ExtnIncubationDate**

Ready for use date after manufacturing date

##### **4.4.2 ExtnBestBeforeDate**

Best before date

---

#### **4.5 ChangeInventory/ToSupply**

##### **4.5.1 UnitOfMeasure**

The unit of measure.

Sales unit of measure and purchase unit of measure should be the same as inventory unit of measure. It is possible to do conversion in Sterling but it has to be discussed and be based on the contract with Principal and Posti

##### **4.5.2 ShipNode**

The unique identifier for the ship node. The identifier of Posti warehouse Voutila = 12

##### **4.5.3 ShipByDate**

Latest shipment date. If ShipByDate is later than BestBeforeDate then this is expiration date

##### **4.5.4 SegmentType**

The segment type for this inventory movement.

Segment type and Segment are used for indicating that order line needs specific additional service and also used to indicate that this order line should be picked from certain inventory stack.

Segment type and Segment should be taken in use only on demand if Principal has specific needs and would need to be discussed with Posti business and described in the contract with Principal and Posti.

##### **4.5.5 Segment**

The segment for this inventory movement.

#### **4.5.6 ReasonText**

The description of the reason for this inventory audit.

#### **4.5.7 ReasonCode**

The code of the reason for this inventory audit.

The meaning of the meaningful reason codes are determined in the contract between Principle and Posti.

#### **4.5.8 Quantity**

Quantity of the movement (+/-).

#### **4.5.9 ProductClass**

The product class is used as an inventory class identifier.

Product classes are pre-defined by Posti. If Product classes based on Principal's own values are needed, they are agreed and described in the contract with Principal and Posti.

Available list of values:

| Product Class | Name FI                       | Name EN                    | Kuvaus  | Description   |
|---------------|-------------------------------|----------------------------|---|---|
| NORM          | Vapaa varasto                 | Unrestricted Stock         | Priima tuote, vapaa varasto                                   | Receiving to unrestricted stock, default  |
| BRKN          | Rikkoutuneet                  | Broken Stock               | Käytetään varaston vastaanotossa, rikki varastolle saapuessa. | Receive as broken products  |
| NORM          | Puuttuvat VAK –tiedot         | Missing Hazmat Information | Tuotteesta puuttuu VAK-tiedot                                 | Item received has missing or inadequate hazmat data. User action required before put-away |
| NORM          | Odottaa tarkastusta           | Waiting for QC             | Odottaa tarkastusta ennen hyllytystä                          | Item is waiting to be inspected before put-away.  |
| RTRN          | Palautus toimittajalle        | Return to Vendor           | Odottaa palautusta tavarantoimittajalle                       | Item received is waiting to be returned to vendor.  |
| SCRP          | Romutus                       | Scrap                      | Odottaa hävitystä   | Item received is waiting to be delivered to scrapping.                                    |
| BSTK          | Kakkoslaatu                   | B Stock                    | Kakkoslaatuisen tuotteen saldo                                | Item received is to be handled as B quality stock.  |
| FRWD          | Toimitus eteenpäin            | Forwarding                 | Odottaa toimitusta  | Item received is to be forwarded to another address.                                      |
| DSHP          | Palautus toimittajalle (GLUE) | Return to Vendor (GLUE)    | Odottaa palautusta tavarantoimittajalle (toimitusmyynti=Glue) | Item received is waiting to be returned to vendor (GLUE).                                 |

#### 4.5.10 ItemID

The identifier for this inventory item.

#### 4.5.11 InventoryStatus

Inventory status after receiving.

The value of Inventory Status is linked to the value of Disposition Code

| Disposition Code | Inventory Status | Name FI                       | Name EN                    | Kuvaus  | Description   |
|------------------|------------------|-------------------------------|----------------------------|---|---|
| STOCKED          | UN               | Vapaa varasto                 | Unrestricted Stock         | Priima tuote, vapaa varasto                                   | Receiving to unrestricted stock, default  |
| BROKEN           | UN               | Rikkoutuneet                  | Broken Stock               | Käytetään varaston vastaanotossa, rikki varastolle saapuessa. | Receive as broken products  |
| MHAZ             | MH               | Puuttuvat VAK –tiedot         | Missing Hazmat Information | Tuotteesta puuttuu VAK-tiedot                                 | Item received has missing or inadequate hazmat data. User action required before put-away |
| WINS             | BQ               | Odottaa tarkastusta           | Waiting for QC             | Odottaa tarkastusta ennen hyllytystä                          | Item is waiting to be inspected before put-away.  |
| RETURN           | UN               | Palautus toimittajalle        | Return to Vendor           | Odottaa palautusta tavarantoimittajalle                       | Item received is waiting to be returned to vendor.  |
| SCRAP            | UN               | Romutus                       | Scrap                      | Odottaa hävitystä   | Item received is waiting to be delivered to scrapping.                                    |
| BSTOCK           | UN               | Kakkoslaatu                   | B Stock                    | Kakkoslaatusien tuotteen saldo                                | Item received is to be handled as B quality stock.  |
| FORWARD          | UN               | Toimitus eteenpäin            | Forwarding                 | Odottaa toimitusta  | Item received is to be forwarded to another address.                                      |
| DROPSHIP         | UN               | Palautus toimittajalle (GLUE) | Return to Vendor (GLUE)    | Odottaa palautusta tavarantoimittajalle (toimitusmyynti=Glue) | Item received is waiting to be returned to vendor (GLUE).                                 |

#### 4.5.12 AdjustmentType

Adjustment type = ADJUSTMENT

---

### 4.6 ChangeInventory/ToSupply/Tag

#### 4.6.1 ManufacturingDate

Manufacturing date

#### 4.6.2 LotNumber

Lot number.

#### 4.6.3 LotAttribute1

Any other attribute.

#### **4.6.4 LotAttribute2**

Any other attribute.

#### **4.6.5 LotAttribute3**

Any other attribute.

---

### **4.7 ChangeInventory/ToSupply/Tag/Extn**

#### **4.7.1 ExtnIncubationDate**

Ready for use date after manufacturing date

#### **4.7.2 ExtnBestBeforeDate**

Best before date